

ROMA COMFORT

Millenium Series

TECHNICAL SPECIFICATIONS



Dimensions: 56 - 58 cm seat centres
61 cm depth
100 + 15 cm height

Backrest: Cold moulded polyurethane foam 'UNIBLOCK 2' system, which wraps an injected polypropylene frame completely. All this structure is protected by a texturized injected polypropylene seat shell.
Optional headrest with seat shell.
Polyurethane density 55 Kg/m³

Seat: Cold moulded polyurethane foam 'UNIBLOCK 2' system, which wraps an injected polypropylene frame completely. All this structure is protected by a texturized injected polypropylene seat shell.
The seat pan folds by means of an automatic noiseless maintenance-free double spring.
Polyurethane density 65 Kg/m³

Side panel: Texturized injected polypropylene, 80mm
End row panels completely upholstered.
Concealed floor fixation system.

Armrest: Straight-shaped texturized injected polypropylene.


Volume: 0.21 m³ / unit

Weight: 19.60 Kg not assembled


ROMA COMFORT

Millenium Series

DIMENSIONS AND DRAWING



OPTIONS



CERTIFICATES

- BS 5852:2006
- BS-EN 1021-1:2006
- CAL TB 117-2013, SECTION 1
- UNE 23.727-90 1R (M1)
- UNE-EN 1021-1:2006 / UNE-EN 1021-2:2006
- BS 5852:1979 Parte 1

| | Fabric | Fire Barrier | Foam |
|---|--------|--------------|------|
| BS 5852:2006 | ● | | |
| BS-EN 1021-1:2006 | ● | | |
| CAL TB 117-2013, SECTION 1 | ● | | |
| UNE 23.727-90 1R (M1) | ● | ● | |
| UNE-EN 1021-1:2006 / UNE-EN 1021-2:2006 | ● | ● | ● |
| BS 5852:1979 Parte 1 | | ● | |



Euro Seating reserves the right to modify the dimensions and characteristics without prior notice. All dimensions and specifications are given for information purposes only.